

Low-Emitting Materials Certificate of Compliance

Awarded to: **H.B. FULLER CONSTRUCTION PRODUCTS, INC.**
OF AURORA, IL 1105 SOUTH FRONTENAC ST., ZIP CODE: 60504

Category: Construction Materials - Adhesives & Sealants
Cert. Scheme: VOC Emissions

Accredited
Compliance
Designation: California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms
With: LEED v4 ID+C, BD+C low-emitting interiors
Collaborative for High Performance Schools EQ 7.1.1 adhesives & sealants
Criteria of MAS Certified Green® Program low-emitting material
TVOC Emissions at 14-days less than 0.5 mg/m³

Bracketed
Products: TEC® Series: SuperFlex™ Ultra-Premium Thin Set Mortar, Ultimate Large Tile Mortar, Full Flex®
Premium Thin Set Mortar, Sturdi Flex™ Thin Set Mortar, Full Contact Mortar, SturdiLight™ Lightweight
Mortar, Permaflex® 300 LHT Mortar, PermaFlex® 300 Latex Modified Thin Set Mortar, Uncoupling
Membrane Mortar, Full Set Plus® Premium Unmodified Mortar, PermaSet® 200 Flooring Mortar, Floor Mud,
Glass Block Mortar, Fast Set Ultimate Large Tile Mortar, Fast Set 3N1® Performance Mortar, Quik Flex®
Accelerated Thin Set Mortar, Ultimate 6 Plus Mortar, 3N1® Performance Mortar, Isolight™, 1Flex® Crack
Isolation Mortar.

Test Date
& Report No.: 10/05/2018
1801347

Certificate No.: MAS1801347

valid December 2018 to December 2019



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by Materials Analytical Services, LLC - ISO/IEC 17025
3rd Party Product Certification by MAS Certified Green® - ISO/IEC 17065
*outside of A2LA accreditation scope

