



# MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

**AQUAFLEX, INC. OF SANTA ANA, CA**

1790 BOYD AVENUE; ZIP CODE 92705

Category:

Construction Materials - Interior Adhesives, Glues, Sealants & Coatings

Cert. Scheme:

VOC Emissions

Accredited

Standards &

Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

\*Conforms

With:

LEED v4.1 ID+C, BD+C

(CHPS) 2019 Core Criteria 3.0 EQ C6.1.1

Criteria of MAS Certified Green® Program

TVOC Emissions at 14-days

low-emitting materials

adhesives & sealants

low-emitting materials

0.5 mg/m<sup>3</sup> or less

Bracketed

Products:

Aquaflex VCT (100), Aquaflex LVT (110), Aquaflex VSF (120), \*Aquaflex 200

\*Product tested as representative exemplar of products listed above.

Test Date:

5/14/2020

Report No.: 2000381

Certificate No.: MAS2000381

valid May 2020 to May 2021



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017

3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

\*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>