



Low-Emitting Materials

Certificate of Compliance

Awarded to: **FABRI TRAK SYSTEMS, INC. OF MT. LAUREL, NJ**
111 WEST PARK DRIVE, ZIP CODE: 08054

Category: Construction Materials - Wall & Ceiling Products
Cert. Scheme: VOC Emissions

Accredited
Compliance
Designation:

California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms
With:

LEED v4 ID+C, BD+C
Collaborative for High Performance Schools EQ 7.1.6
Criteria of MAS Certified Green® Program
TVOC Emissions at 14-days

low-emitting interiors
ceiling & wall systems
low-emitting materials
0.5 mg/m³ or less

Bracketed
Products:

GeoTRAK® PVC-Free Stretch Wall and Ceiling Track

Test Date
& Report No.:

06/13/2019
1900771

Certificate No.: MAS1900771-2

valid June 2019 to June 2020



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025
3rd Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065
*outside of A2LA accreditation scope