

Low-Emitting Materials

Certificate of Compliance

Awarded to: **CHEMIQUE ADHESIVES INC. OF KENNESAW, GA**
3050 MATLOCK DRIVE, ZIP CODE: 30144

Category: Construction Materials - Adhesives, Primers and Seam Sealers
Cert. Scheme: VOC Emissions

Accredited
Compliance
Designation: California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms
With: LEED v4 ID+C, BD+C low-emitting interiors
Collaborative for High Performance Schools EQ 7.1.1 adhesives & sealants
Criteria of MAS Certified Green® Program low-emitting material
TVOC Emissions at 14-days <0.5 mg/m³ for classroom
between 0.5 & 5.0 mg/m³ for office setting

Bracketed
Products: Solfre 2337 Adhesive

Test Date 9/17/2018
& Report No.: 1801283

Certificate No.: MAS1801283a valid September 2018 to September 2019



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by **Materials Analytical Services, LLC** - ISO/IEC 17025
3rd Party Product Certification by **MAS Certified Green®** - ISO/IEC 17065
*outside of A2LA accreditation scope



3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3200 · <http://www.mascertifiedgreen.com>