

MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

MON-ECO INDUSTRIES, INC OF EAST BRUNSWICK, NJ

5 JOANNA COURT, ZIP CODE: 08816

Category: Cert. Scheme: Construction Materials - Interior Adhesives, Glues, Sealants & Coatings

VOC Emissions

Accredited Standards & Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms With:

LEED v4.1 ID+C, BD+C (CHPS) 2019 Core Criteria 3.0 EQ C6.1.1 Criteria of MAS Certified Green® Program TVOC Emissions at 14-days

low-emitting interiors adhesives & sealants low-emitting material 0.5 mg/m³ or less

Bracketed Products:

Eco Duct Sealants: 44-39 Eco-Duct Seal, 44-50 Eco-Duct Seal, 44-52 Eco-Duct Seal,

44-52 Eco-Duct Seal Low VOC, 48-81 Eco-Duct Seal

Test Date:

2/19/2020 Report No.:2000082

Certificate No.: MAS2000082-2

valid February 2020 to February 2021



Testing Cert. # 2925.01 Product Cert. # 2925.02 Product Certifier, MAS Certified Green CT

Laboratory Testing by Materials Analytical Services, LLC - ISO/IEC 17025:2017 3rd Party Product Certification by MAS Certified Green® - ISO/IEC 17065:2012 *outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · http://www.mascertifiedgreen.com/