



MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

HERCULES INDUSTRIES, INC. OF DENVER, CO

1310 W. EVANS AVENUE; ZIP CODE: 80223

Category:

Construction Materials - Interior Adhesives, Glues, Sealants & Coatings

Cert. Scheme:

VOC Emissions, VOC Content

Accredited

Standards &

Test Methods:

CDPH Standard Method v1.2 (VOC Emissions)

SCAQMD Rule 1168 (**VOC Content)

classroom & private office
adhesive & sealant applications

*Conforms

With:

LEED v4.1 ID+C, BD+C, VOC Emissions & Content

(CHPS) 2019 Core Criteria 3.0 EQ C6.1.1

Criteria of MAS Certified Green® Program

TVOC Emissions at 14-days

low-emitting materials
adhesives & sealants, VOC content
low-emitting material
0.5 mg/m³ or less

Bracketed

Products:

Duct Sealants: MTS100, *MTS200, MTS300, MTS300W, MTS400, MTS500

*Product tested as representative exemplar of products listed above.

Test Date:

4/3/2020

Report No.: 2000281R1

Certificate No.: MAS2000281-01

valid April 2020 to April 2021



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

**Laboratory Testing by RTI Labs, Livonia MI, 48150 - ISO/IEC 17025:2017 (#0570.02)

Laboratory Testing by Materials Analytical Services, LLC - ISO/IEC 17025:2017

3rd Party Product Certification by MAS Certified Green® - ISO/IEC 17065:2012

*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>